

DYMAX Offers the Most Versatility in Light-Curing Technology

DYMAX introduces the **BlueWave® LED Prime UVA** high-intensity spot curing system and **specially formulated LED-curable adhesives**. These adhesives range from ultra fast to fast cure to accommodate your assembly needs. The **BlueWave LED Prime UVA** gives the convenience of no bulbs to change, cool cures, no warm-up, and constant high intensity

Below are adhesives available from DYMAX for your assembly applications that will cure with the **BlueWave LED Prime UVA** spot curing system.



Product	Features	Fixture Time	Tack-Free Cure Time	Key Substrates	Viscosity	Hardness
3030	Ultra fast cure; clear; plastic bonder	0.2 sec.	<2 sec.	ABS, PC, PVC, SAN, FR4	600 mPas	D64
3031	Clear; high adhesion to plastics	0.2 sec.	<5 sec.	ABS, PC, PVC, SAN, FR4	120 mPas	D64
3069-GEL	Clear; moisture resistant plastic bonder	0.2 sec.	<30 sec.	PVC, PC, Polyester	26,000 mPas	D55
3094	Excellent glass, PC, acrylic, and metal bonder	0.2 sec.	<30 sec.	Glass, PVC, PC, Acrylic, Polyester	1,000 mPas	D65
9001-E-V3.0	Resilient; excellent thermal cycling adhesive for potting	2 sec.	<30 sec.	Glass, Metal, Plastics	400 mPas	D45

Contact your local DYMAX Sales Partner today to discuss your specific application and the **BlueWave LED Prime UVA**.

Call DYMAX to arrange for a demonstration, samples, purchase, or to try/rent your very own **BlueWave® LED Prime UVA** curing system!



The *BlueWave LED Prime UVA* Spot Curing System



LED-Curable Adhesives for Assembly

© 2009-2010 DYMAX Corporation. All rights reserved. All trademarks in this guide, except where noted, are the property of, or used under license by DYMAX Corporation, U.S.A.

The data contained in this bulletin is of a general nature and is based on laboratory test conditions. DYMAX Europe GmbH does not warrant the data contained in this bulletin. Any warranty applicable to products, its application and use is strictly limited to that contained in DYMAX Europe GmbH's General Terms and Conditions of Sale published on our homepage http://www.dymax.com/de/pdf/dymax_europe_general_terms_and_conditions_of_sale.pdf. DYMAX Europe GmbH does not assume any responsibility for test or performance results obtained by users. It is the user's responsibility to determine the suitability for the product application and purposes and the suitability for use in the user's intended manufacturing apparatus and methods. The user should adopt such precautions and use guidelines as may be reasonably advisable or necessary for the protection of property and persons. Nothing in this bulletin shall act as a representation that the product use or application will not infringe a patent owned by someone other than DYMAX Corporation or act as a grant of license under any DYMAX Corporation Patent. DYMAX Europe GmbH recommends that each user adequately test its proposed use and application of the products before actual repetitive use, using the data contained in this bulletin as a general guide. LIT268EU 1/19/2010

DYMAX Corporation
860.482.1010
info@dymax.com
www.dymax.com

DYMAX Europe GmbH
+49 (0) 611.962.7900
info_de@dymax.com
www.dymax.de

DYMAX UV Adhesives & Equipment (Shenzhen) Co Ltd
+86.755.83485759
dymaxasia@dymax.com
www.dymax.com.cn

DYMAX Asia (Hong Kong) Ltd
+852.2460.7038
dymaxasia@dymax.com
www.dymax.com.cn

DYMAX Korea LLC
82.2.784.3434
info@dymax.kr
www.dymax.co.kr

