

Araldite 2015 specified in motor cruiser construction

Description

[Araldite 2015](#) has been exclusively specified in the construction of the **Neptys First Life 27**, a semi rigid power boat made from a vinyl ester infusion.

Because of its length, 8.5m, and speed, 50 knots plus, the Neptys First Life 27 is subject to impact and vibrations and needs an adhesive combination that could withstand the stress of the environmental conditions at sea. One of the key objectives for the boat's construction was to find a solution that would not involve the use of machinery in the dosing and application process.

Testing equipment was used to identify a formulation capable of providing good reactivity for the materials used in the boat's construction and **Araldite 2015** was recommended based on its ability to meet the performance characteristics. [Araldite 2015 is a two component epoxy adhesive paste](#) that cures at room temperature. The designers found that this adhesive provided better reactivity, efficiency and overall quality of design as well as offering resistance to water, humidity and chemicals. This allows the Neptys First Life 27 to withstand the impact of speeds up to 99 km per hour.

Araldite 2015's 25 minute work life at 23°C was appropriate for the necessary timescales the designer had set for bonding the deck to the hull, including the internal components. Particularly important in the decision making process was the need for a medium time for bonding application, low price and less odour during application and polymerisation.

Commenting, Olivier Philippot, Engineer in Composite Materials, said:

It soon became apparent that Araldite 2015 was the best product available for bonding vinyl ester, delivering guaranteed strength, optimum performance and increased durability.

Araldite 2015 specified in motor cruiser construction

Following the efficient application of the adhesive, the quality of the bonds was tested under rigorous conditions to guarantee that the product could withstand high levels of force and impact whilst travelling at high speeds on the sea. It was at this juncture that Araldite 2015's exceptional track record in marine applications shone through and we were more than satisfied with its performance.



Supplied by:

intertronics

INTERTRONICS

12a Station Field Industrial Estate, Banbury Road, Kidlington

Oxfordshire England OX5 1JD

t 01865 842842 e info@intertronics.co.uk

Last updated: October 2019 Version:

Statements, technical information and recommendations contained herein are based on tests we believe to be reliable but they are not to be construed in any manner as warranties expressed or implied. The user shall determine the suitability of the product for his intended use and the user assumes all risk and liability whatsoever in connection therewith.