

Precision dispensing for electronics assembly

In the competitive world of electronics assembly, the demand for greater precision and repeatability of adhesive dispensing within ever smaller and denser pcb real estate is addressed by our partnership with [**preeflow**](#) – and our team application experts with leading edge products. By utilisation of [**preeflow endless piston technology**](#) to optimise the adhesive/dispensing process, it has been found possible to save up to 30% of adhesive while operating to an accuracy of $\pm 1\%$ with over 99% repeatability in manual or automated manufacturing environments.

[**preeflow dispensing equipment**](#) gives true accuracy and repeatability with a high degree of tolerance for material behaviour such as viscosity or viscosity change with temperature. This makes it suitable for low viscosity conformal coatings or underfill applications, as well as high viscosity dam and fill and glob top encapsulation. Other applications include sealing, bonding, micro dots and even use with fragile fillers or constituents such as microcapsules.

Our Product Specialists offer experienced application assistance to you on the use of [**micro-dispensing equipment**](#) such as the **preeflow** technologies where the volumetric delivery at the dispensing tip is independent of pressure, time and temperature as well as pressure stable and pulsation free. This performance enables high density, high viscosity materials to be applied with very high accuracy and reliability especially in electronics, but also electrical, medical, pharmaceutical and food industries.

Precision dispensing for electronics assembly

Precision dispensing for electronics assembly



Precision dispensing for electronics assembly

Supplied by:



INTERTRONICS

12a Station Field Industrial Estate, Banbury Road, Kidlington

Oxfordshire England OX5 1JD

t 01865 842842 e info@intertronics.co.uk

Last updated: April 2018

Statements, technical information and recommendations contained herein are based on tests we believe to be reliable but they are not to be construed in any manner as warranties expressed or implied. The user shall determine the suitability of the product for his intended use and the user assumes all risk and liability whatsoever in connection therewith.