

## Loudspeaker bonding - two part adhesive application



Automating the precision application of two part adhesives

can be tricky – you want to be able to meter and mix the adhesive and apply to the product in a simple in-line procedure. So it's good to be able to see that this sort of thing is readily achievable.

For example, the process of applying two part adhesives to loudspeaker components such as cones and spiders can be simplified by using the [preeflow® eco-DUO precision volumetric dosing unit](#). The eco-DUO meters, mixes and dispenses in a seamless operation, and can be either [robot mounted](#), or used in a fixed position above a rotary table.

Our [video](#) shows accurate [two part epoxy paste adhesive being applied](#) to a dual-cone speaker using the eco-DUO 450. The eco-DUO 450 and its big brother – the eco-DUO 600 – are also suitable for the metering, mixing and dispensing of two part silicones and polyurethanes.

# Loudspeaker bonding - two part adhesive application

Supplied by:

**intertronics**

INTERTRONICS

12a Station Field Industrial Estate, Banbury Road, Kidlington

Oxfordshire England OX5 1JD

t 01865 842842 e [info@intertronics.co.uk](mailto:info@intertronics.co.uk)

Last updated: April 2018

Statements, technical information and recommendations contained herein are based on tests we believe to be reliable but they are not to be construed in any manner as warranties expressed or implied. The user shall determine the suitability of the product for his intended use and the user assumes all risk and liability whatsoever in connection therewith.