






UV post-cure for 3D printing

Recent developments in 3D printing (also known as additive manufacturing or rapid prototyping) have popularised the [SLA \(stereolithography\)](#) methodology of laser printing in a bath of UV light curable photopolymer resin. This process effectively “grows” a component in the bath so that as it is withdrawn, each successive layer is light cured. It is a process which can be many times faster than other 3D printing technologies, but does frequently need an additional UV post-cure to ensure the component attains full strength and that any excess polymer that does not drain away in the build or growth process is completely cured.

UV post-cure for 3D printing




UV post-cure for 3D printing

[Dymax UV flood lamp and spot curing systems](#) are ideal, both for this post-curing application, and also for subsequent re-working and repair.

[Dymax UV light-curing flood lamp systems](#) are designed for area curing or for curing multiple assemblies at once. These flood lamp models use a powerful UV light curing lamp (up to 225 mW/cm²) for fast curing over a 13 cm x 13 cm area. For rework or repair, such as curing drain-hole fills, assembling larger assemblies, or repairing cracked or broken models, the [BlueWave® 200 3.0 spot-lamp system](#) is an ideal solution. This unit is a high-intensity lamp that emits energy in the UVA and visible portion of the spectrum (300-450 nm) and is well suited for either manual or automated processes.

UV post-cure for 3D printing



Dymax UV flood and spot lamps may be used as bench-top curing systems or integrated into automated production lines where they provide the industry's most consistent light intensity over their 2000 hour bulb warranty.

UV post-cure for 3D printing

Supplied by:



INTERTRONICS

12a Station Field Industrial Estate, Banbury Road, Kidlington

Oxfordshire England OX5 1JD

t 01865 842842 e info@intertronics.co.uk

Last updated: February 2022

Statements, technical information and recommendations contained herein are based on tests we believe to be reliable but they are not to be construed in any manner as warranties expressed or implied. The user shall determine the suitability of the product for his intended use and the user assumes all risk and liability whatsoever in connection therewith.