

Video: compare Thinky mixers with silicone resin mixing and defoaming

This video on [our YouTube channel](#) compares and contrasts our most popular [Thinky Mixers](#), using the mixing and defoaming of silicone resin as an example. The manufacturer's video shows a Thinky ARE-310 – [the equivalent machine available in Europe is the Thinky ARE-250](#), which is functionally the same.


Thinky mixers use a combination of rotation and revolution to mix, disperse, degas and defoam your materials in a container. The video shows some air being deliberately mixed into some silicone, and the resin with bubbles put into a Thinky ARE-310. In a few minutes, the silicone is clear with no visible air bubbles. The same material is then placed into a [Thinky ARV-310](#), which is the same machine but with an integral vacuum, for further treatment – degassing and defoaming. A visual inspection shows an even better result, which is quite apparent in the video. This Technical Bulletin about [Vacuum Mixing & Degassing](#) has further discussion about these differences.

A small amount of orange pigment is mixed into the silicone, which results in an even dispersion. A large amount of powder is then added, which is completely mixed into the resin in about a minute.

[Thinky mixers](#) are completely programmable, and have memories to store your programmes or “recipes”. The [Thinky ARV-310](#) has a special version, the Thinky ARV-310LED, for LED phosphor dispersion.

We can show you these same results in our [Technology Centre](#) – come and see us!

Video: compare Thinky mixers with silicone resin mixing and defoaming



Supplied by:

intertronics

INTERTRONICS

12a Station Field Industrial Estate, Banbury Road, Kidlington
Oxfordshire England OX5 1JD

t 01865 842842 e info@intertronics.co.uk

Video: compare Thinky mixers with silicone resin mixing and defoaming

Last updated: April 2018

Statements, technical information and recommendations contained herein are based on tests we believe to be reliable but they are not to be construed in any manner as warranties expressed or implied. The user shall determine the suitability of the product for his intended use and the user assumes all risk and liability whatsoever in connection therewith.