

## Case study: improving masking for electroless nickel plating in aerospace and defense applications

An international company who specialise in manufacturing and repairing landing gear and actuation systems for the aerospace market were looking for efficiencies in their electroless nickel plating process – their target was to automate the masking process and increase throughput. The adoption of [Dymax SpeedMask](#) brought process times down from as much as three days to less than 45 minutes. Read how they achieved this in our latest case study (pdf):

# Case study: improving masking for electroless nickel plating in aerospace and defense applications

## CASE STUDY

**intertronics**

adhesives, coatings, sealants & equipment  
for your manufacturing and technology applications

**Dymax  
SpeedMask®**  
UV curing temporary  
masking liquid

**Dymax  
BlueWave® 200**  
UV curing system



### Customer

Aerospace landing gear  
and actuation  
manufacturer

## Improving masking process for electroless nickel plating in Aerospace and Defense applications

An international company specialising in manufacturing and repairing landing gear and actuation systems for the aerospace market was looking for efficiencies in their electroless nickel plating process. Their target was to automate the masking process and increase throughput.

# Case study: improving masking for electroless nickel plating in aerospace and defense applications

Supplied by:

**intertronics**

INTERTRONICS

12a Station Field Industrial Estate, Banbury Road, Kidlington

Oxfordshire England OX5 1JD

t 01865 842842 e [info@intertronics.co.uk](mailto:info@intertronics.co.uk)

Last updated: October 2019

Statements, technical information and recommendations contained herein are based on tests we believe to be reliable but they are not to be construed in any manner as warranties expressed or implied. The user shall determine the suitability of the product for his intended use and the user assumes all risk and liability whatsoever in connection therewith.