

Description

Bambi air compressors offer a "silent" running, low cost system for producing compressed air for industrial applications. We recommend Bambi air compressors to customers who are using pneumatic equipment such as time/pressure dispensing controllers or pneumatic dispensing valves, as a simple and expedient option for supply of compressed air to these devices.

Bambi air compressors are fully self-contained and produce very low noise levels during operation.

Features & Benefits

- Ultra quiet in operation sound levels from just 40 dB(A) and almost no vibration
- No exposed moving parts
- Filter and air regulator fitted as standard

Specifications



Model	Output (Litres/min)	Output (6 bar)	Max (bar/psi)	Motor (HP/CV)	Air Receiver (L)	dB(A)/1m	Weight (kg)	Dimension (HxWxL cm)
BAMBB8	50	33	8/120	0.5	8	40	20	43x28x28
BAMBB15	50	33	8/120	0.5	15	40	25	45x34x34
BAMBB24	50	33	8/120	0.5	24	40	32	48x34x72
BAMBB24	50	33	8/120	0.5	24	40	32	54x34x34
BAMBB24	D100	66	8/120	1.0	24	42	46	48x34x72
BAMBB50	100	66	8/120	1.0	50	42	51	56x41x79

Ordering Information





- Name*
- Company*
- Phone*
- Email*
- Post code*

If you're in the UK, knowing your postcode would help us get in touch even more quickly. If you're outside the UK, please indicate your country.

■ Tell us about your application



Any information that you submit using this form will be processed according to our privacy policy.

Comments

This field is for validation purposes and should be left unchanged.

Submit

Supplied by:

intertronics

INTERTRONICS

12a Station Field Industrial Estate, Banbury Road, Kidlington Oxfordshire England OX5 1JD

t 01865 842842 e info@intertronics.co.uk

Last updated: November 2022 Version: 6.6

Statements, technical information and recommendations contained herein are based on tests we believe to be reliable but they are not to be construed in any manner as warrantees expressed or implied. The user shall determine the suitability of the product for his intended use and the user assumes all risk and liability whatsoever in connection therewith.