

# Fisnar Height Sensor for ADVANCE Series Robots



## Description

Designed for [Fisnar F4000 ADVANCE series robots](#), the height sensor automatically adjusts the dispense tip height in the event of any variation of the height workpiece being dispensed upon. Setup and programming of the height sensor are carried out by following a user-friendly step-by-step procedure pre-installed onto the robot software.

By comparing the actual workpiece height against the original stored datum value in the robot program, any deviation found in the workpiece height results in the z-axis coordinate data being automatically offset accordingly. Multiple height checks can be made within one robot program in the event of multiple workpieces being processed or a single workpiece with differing heights.



## Ordering Information

Part number	Description
FISF4000AKIT-HDS	Fisnar Height Sensor for F4000 ADVANCE series robots

# Fisnar Height Sensor for ADVANCE Series Robots



Let's start by talking about your application

  <u>01865</u>  <u>842842</u>	  <u>orders@intertronics.co.uk</u>
---	---

- Name\* \_\_\_\_\_
- Company\* \_\_\_\_\_
- Phone\* \_\_\_\_\_
- Email\* \_\_\_\_\_
- Post code\* \_\_\_\_\_

If you're in the UK, knowing your postcode would help us get in touch even more quickly. If you're outside the UK, please indicate your country.

# Fisnar Height Sensor for ADVANCE Series Robots



Tell us about your application



Any information that you submit using this form will be processed according to our [privacy policy](#).

Comments

This field is for validation purposes and should be left unchanged.

Supplied by:

**intertronics**

INTERTRONICS

12a Station Field Industrial Estate, Banbury Road, Kidlington

Oxfordshire England OX5 1JD

t 01865 842842 e [info@intertronics.co.uk](mailto:info@intertronics.co.uk)

Last updated: November 2022 Version: 1.2

Statements, technical information and recommendations contained herein are based on tests we believe to be reliable but they are not to be construed in any manner as warranties expressed or implied. The user shall determine the suitability of the product for his intended use and the user assumes all risk and liability whatsoever in connection therewith.