

No Clean Wick Rosin Free Desoldering Braid



Description

Techspray's No Clean Wick Desoldering Braid removes up to four times more solder than conventional wick, and extracts solder much faster than wicks based on Type R fluxes. Our flux has an improved wicking action. The residue left behind is halide free and non-conductive so it does not have to be cleaned in most circumstances. Techspray No-Clean Wick is designed to improve reworking efficiency in both conventional and no-clean operations.

Techspray No Clean Wick is **rosin free**, colophony free, and does not give off a rosin fume.

Ultra-clean!

Independent cleanliness testing (to ISO 9455-17 standard by the National Physics Laboratory) showed excellent stable, repeatable and high SIR measurements. Techspray No Clean Wick leaves little, if any, residues affecting SIR levels. Microscopic examination of the pcb's showed no dendrites. Our desoldering braid is the cleanest! It will give the most reliable desoldering results.

Our Techspray Wick Performance Challenge!

We will prove that we have the best quality product on the market. [Request your free evaluation sample today!](#)

Features & Benefits

- No-clean flux coated braid
- Cleanest wick — clear, non-reactive residues
- Will not leave ionic residue — avoid dendrite failure
- Exceeds MIL-F-14256

No Clean Wick Rosin Free Desoldering Braid



■ Anti-static spool (except where indicated)

Specifications

Product	Length Availability (m)	Width	Colour
TEC1820	3.0 15.2	.035" (0.9 mm)	White
TEC1821	1.5 3.0	.055" (1.4 mm)	Yellow
TEC1822	1.5 3.0 30.5	.075" (1.9 mm)	Green
TEC1823	1.5 3.0 30.5	.098" (2.5 mm)	Blue

No Clean Wick Rosin Free Desoldering Braid



Product	Length Availability (m)	Width	Colour
TEC1824	1.5	.130" (3.3 mm)	Brown

Other Information




Our [Technology Guides](#) page has links to our comprehensive [PCB Rework](#)

[& Repair Guide](#)

Ordering Information



No Clean Wick Rosin Free Desoldering Braid



Part number	Description
TEC1820-10F	No Clean Anti-Static Bobbin White 3.0m
TEC1820-50F	No Clean Anti-Static Bobbin White 15.2m
TEC1821-5F	No Clean Anti-Static Bobbin Yellow 1.5m
TEC1821-10F	No Clean Anti-Static Bobbin Yellow 3.0m
TEC1822-5F	No Clean Anti-Static Bobbin Green 1.5m
TEC1822-10F	No Clean Anti-Static Bobbin Green 3.0m
TEC1822-100F 	No Clean Anti-Static Bobbin Green 30.5m
TEC1823-5F	No Clean Anti-Static Bobbin Blue 1.5m
TEC1823-10F	No Clean Anti-Static Bobbin Blue 3.0m

No Clean Wick Rosin Free Desoldering Braid



Part number	Description
<div>TEC1823-100F</div> <div><div>SHOP </div></div>	No Clean Anti-Static Bobbin Blue 30.5m
TEC1824-5F	No Clean Anti-Static Bobbin Brown 1.5m

Let’s start by talking about your application

No Clean Wick Rosin Free Desoldering Braid



01865

842842



orders@intertronics.co.uk

- Name*
- Company*
- Phone*
- Email*
- Post code*

If you're in the UK, knowing your postcode would help us get in touch even more quickly. If you're outside the UK, please indicate your country.

-
- Tell us about your application

No Clean Wick Rosin Free Desoldering Braid



Any information that you submit using this form will be processed according to our [privacy policy](#).

■ Name

This field is for validation purposes and should be left unchanged.

Submit

Supplied by:



INTERTRONICS
12a Station Field Industrial Estate, Banbury Road, Kidlington
Oxfordshire England OX5 1JD
t 01865 842842 e info@intertronics.co.uk

Last updated: April 2023 Version: 7.5
Statements, technical information and recommendations contained herein are based on tests we believe to be reliable but they are not to be construed in any manner as warranties expressed or implied. The user shall determine the suitability of the product for his intended use and the user assumes all risk and liability whatsoever in connection therewith.