

QuantX Syringe Barrel Adapter Assemblies



Description

Also available to buy online at  **SHOP** 

QuantX syringe barrel adapter assemblies connect a syringe to a [time/pressure controller](#). They provide a convenient quick connect at the controller, an easy fit and a good seal to the syringe barrel, and are available in two tube lengths, both with an outside diameter of 3.175mm. The 91cm assembly can be specified with a micron filter trap to prevent flow of material or fumes back into the controller when using suck-back.

Compatible with the [QuantX range of dispensing consumables](#).

Features & Benefits

- Compatible with the QuantX range of dispensing consumables
- Two hose lengths available
- Adapter head features *Twist Lock* design for an easy and secure fit
- O-Ring seals on parallel section of barrel side wall creating optimized air-tight seal
- Optional micron filter-trap prevents the entry of fluids and fumes into the controller

QuantX Syringe Barrel Adapter Assemblies



Fittings



Green Push-to-Connect Fittings

Green push-to-connect fittings come pre-assembled on all QuantX syringe barrel adapter assemblies. Suitable for use with the Fisnar [DC50](#) and [DC100](#) controllers, the fittings offer a quick, airtight and secure connection.

QuantX Syringe Barrel Adapter Assemblies



Black Bayonet Fittings

Black bayonet fittings are also included for connection to quick-connect style dispensing controllers.

Other Information

	<p>See our page for the full QuantX Dispensing Consumables range</p> <p>Syringe barrels, pistons, caps and kits</p>
	<p>Download our QuantX fluid dispensing components brochure</p>

QuantX Syringe Barrel Adapter Assemblies



Ordering Information



Syringe Barrel Adapters

1/4" (3.175mm) OD hose – green adapter head – includes safety clip

Part number	Size	Hose length	Quantity
-------------	------	-------------	----------

QuantX Syringe Barrel Adapter Assemblies



<div>FIS8001014</div> <div><div>intertronics</div><div>SHOP </div></div>	3cc	3ft (91cm)	1
<div>FIS8001015</div> <div><div>intertronics</div><div>SHOP </div></div>	5cc	3ft (91cm)	1
<div>FIS8001016</div> <div><div>intertronics</div><div>SHOP </div></div>	10cc	3ft (91cm)	1
<div>FIS8001017</div> <div><div>intertronics</div><div>SHOP </div></div>	30/55cc	3ft (91cm)	1

QuantX Syringe Barrel Adapter Assemblies



<div>FIS8001018</div> <div><div>intertronics</div><div>SHOP </div></div>	3cc	6ft (183cm)	1
<div>FIS8001019</div> <div><div>intertronics</div><div>SHOP </div></div>	5cc	6ft (183cm)	1
<div>FIS8001020</div> <div><div>intertronics</div><div>SHOP </div></div>	10cc	6ft (183cm)	1
<div>FIS8001021</div> <div><div>intertronics</div><div>SHOP </div></div>	30/55cc	6ft (183cm)	1

QuantX Syringe Barrel Adapter Assemblies



<div>FIS8001050</div> <div><div>intertronics</div><div>SHOP </div></div>	3cc	3ft (91cm) Includes Filter	1
<div>FIS8001051</div> <div><div>intertronics</div><div>SHOP </div></div>	5cc	3ft (91cm) Includes Filter	1
<div>FIS8001052</div> <div><div>intertronics</div><div>SHOP </div></div>	10cc	3ft (91cm) Includes Filter	1

QuantX Syringe Barrel Adapter Assemblies



<div>FIS8001053</div> <div><div>intertronics</div><div>SHOP </div></div>	30/55cc	3ft (91cm) Includes Filter	1
--	---------	----------------------------	---

Let’s start by talking about your application

QuantX Syringe Barrel Adapter Assemblies



01865

842842



orders@intertronics.co.uk

- Name*
- Company*
- Phone*
- Email*
- Post code*

If you're in the UK, knowing your postcode would help us get in touch even more quickly. If you're outside the UK, please indicate your country.

-
- Tell us about your application

QuantX Syringe Barrel Adapter Assemblies



Any information that you submit using this form will be processed according to our [privacy policy](#).

 Email

This field is for validation purposes and should be left unchanged.

Submit

Supplied by:



INTERTRONICS
12a Station Field Industrial Estate, Banbury Road, Kidlington
Oxfordshire England OX5 1JD
t 01865 842842 e info@intertronics.co.uk

Last updated: January 2024 Version: 1.6
Statements, technical information and recommendations contained herein are based on tests we believe to be reliable but they are not to be construed in any manner as warranties expressed or implied. The user shall determine the suitability of the product for his intended use and the user assumes all risk and liability whatsoever in connection therewith.